

Term	Explanation	Search for additional information
Action	A step in a process flow. An action is usually a script but can also be a job step.	Process Flows Explorer
Library	Collection of classes, procedures and functions. These procedures and functions cannot be actions.	Libraries
Business Object	This is equivalent to a record or a class (only attributes) but can contain mappings	Business Objects and Mappings
Cantor	A domain-specific language whose syntax is similar to VBA. Cantor is the language recommended for Jabatix.	The Cantor scripting language DSL
Context menu	The menu selected via the alternate mouse button	Context menu explanation
Exception	As in Groovy, Java and other common programming languages. They are usually applied to deal with errors.	Exception handling (Try-Catch blocks)
Interactive Development Environment (IDE)	Refers to the Eclipse desktop user interface, where developers have access to the range of tools required to efficiently implement Jabatix solutions.	Eclipse platform help
Jabatix Server	This is an application server to which Jabatix is deployed. It is only by means of this enhancement that models can be executed outside the workbench.	Installation of the Jabatix Server
Layer	Group of actions in a process flow.	Process flows
Mapping	Connection between a business object and a data source (e.g. database table, Excel sheet).	Business Objects and Mappings
Model	This is equivalent to a project in Java. A model is a collection of business objects, process flows, scripts and other elements that belong to a project.	Model projects
Model parameters	Input parameters for the process flows. The model parameters can be set in the UI or in the workbench before the start of a PF.	Model settings
Model reference	Reference from a model to another. The referencing model can use business objects, libraries and scripts in the referenced model.	Model references
Process Flow	Collection of program steps. A PF represents a program or a sub-program. Only PFs can be started on the Jabatix server or in the workbench.	Process flows management
Process Flow Explorer	Displays a process flow. A process flow can also be edited here.	Process Flows Explorer
Project Explorer	View in the perspective 'Model Design'. The model and all its components are shown in the Project Explorer. It can also be created and modified here.	Project Explorer
Server Model Synchronization	View in the perspective 'Model Design'. In this view, models from the workbench can be deployed and undeployed to the Jabatix server.	
Script	Program code in Cantor or Groovy. Scripts can be actions of process flow.	Cantor scripting Groovy scripting
Trigger library	Special library whose procedures and functions are executed for reading, validating and writing operations on business objects.	Triggers
Workbench	Eclipse IDE where the Jabatix feature is installed. The workbench is the development environment for Jabatix.	Introduction Technology